

April 19, 2016

Tom Moe
USS Corporation
P.O. Box 417
Mountain Iron, MN 55768

RE: Project: NPDES-LINE 3 Wkly
Pace Project No.: 1264075

Dear Tom Moe:

Enclosed are the analytical results for sample(s) received by the laboratory on April 13, 2016. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Melisa M Woods
melisa.woods@pacelabs.com
Project Manager

Enclosures

cc: Terri Sabetti, NTS



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

CERTIFICATIONS

Project: NPDES-LINE 3 Wkly

Pace Project No.: 1264075

Virginia Minnesota Certification ID's

315 Chestnut Street, Virginia, MN 55792

Alaska Certification #MN01084

Arizona Department of Health Certification #AZ0785

Minnesota Dept of Health Certification #: 027-137-445

North Dakota Certification: # R-203

Wisconsin DNR Certification # : 998027470

WA Department of Ecology Lab ID# C1007

Nevada DNR #MN010842015-1

Oklahoma Department of Environmental Quality

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SAMPLE SUMMARY

Project: NPDES-LINE 3 Wkly

Pace Project No.: 1264075

Lab ID	Sample ID	Matrix	Date Collected	Date Received
1264075001	WS-002 Scrubber Make-up	Water	04/13/16 08:25	04/13/16 15:00
1264075002	WS-003 Thickener Overflow	Water	04/13/16 08:20	04/13/16 15:00

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SAMPLE ANALYTE COUNT

Project: NPDES-LINE 3 Wkly

Pace Project No.: 1264075

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
1264075001	WS-002 Scrubber Make-up	EPA 200.7	MAR	3	PASI-V
		EPA 300.0	CSD	1	PASI-V
1264075002	WS-003 Thickener Overflow	EPA 200.7	MAR	3	PASI-V
		EPA 300.0	CSD	1	PASI-V

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: NPDES-LINE 3 Wkly

Pace Project No.: 1264075

Sample: WS-002 Scrubber Make-up Lab ID: 1264075001 Collected: 04/13/16 08:25 Received: 04/13/16 15:00 Matrix: Water									
Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
200.7 MET ICP, Lab Filtered Analytical Method: EPA 200.7 Preparation Method: EPA 200.7									
Calcium, Dissolved	104	mg/L	5.0	0.29	10	04/15/16 11:43	04/18/16 13:13	7440-70-2	
Magnesium, Dissolved	202	mg/L	5.0	0.67	10	04/15/16 11:43	04/18/16 13:13	7439-95-4	
Total Hardness, Dissolved	1090	mg/L	100	50.0	10	04/15/16 11:43	04/18/16 13:13		
300.0 IC Anions 28 Days Analytical Method: EPA 300.0									
Sulfate	688	mg/L	20.0	0.89	10		04/15/16 04:26	14808-79-8	

Sample: WS-003 Thickener Overflow Lab ID: 1264075002 Collected: 04/13/16 08:20 Received: 04/13/16 15:00 Matrix: Water									
Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
200.7 MET ICP, Lab Filtered Analytical Method: EPA 200.7 Preparation Method: EPA 200.7									
Calcium, Dissolved	1000	mg/L	5.0	0.29	10	04/15/16 11:43	04/18/16 13:16	7440-70-2	
Magnesium, Dissolved	6.7	mg/L	5.0	0.67	10	04/15/16 11:43	04/18/16 13:16	7439-95-4	
Total Hardness, Dissolved	2540	mg/L	100	50.0	10	04/15/16 11:43	04/18/16 13:16		
300.0 IC Anions 28 Days Analytical Method: EPA 300.0									
Sulfate	1680	mg/L	40.0	1.8	20		04/15/16 05:27	14808-79-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: NPDES-LINE 3 Wkly

Pace Project No.: 1264075

QC Batch: MPRP/6742

Analysis Method: EPA 200.7

QC Batch Method: EPA 200.7

Analysis Description: 200.7 MET Dissolved

Associated Lab Samples: 1264075001, 1264075002

METHOD BLANK: 306650

Matrix: Water

Associated Lab Samples: 1264075001, 1264075002

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Calcium, Dissolved	mg/L	ND	0.50	0.029	04/18/16 12:13	
Magnesium, Dissolved	mg/L	ND	0.50	0.067	04/18/16 12:13	

LABORATORY CONTROL SAMPLE: 306651

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Calcium, Dissolved	mg/L	50	52.9	106	85-115	
Magnesium, Dissolved	mg/L	50	53.7	107	85-115	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 306652

306653

Parameter	Units	1264152001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Calcium, Dissolved	mg/L	99.3	50	50	152	152	106	106	70-130	0	20	
Magnesium, Dissolved	mg/L	32.0	50	50	83.8	84.3	104	105	70-130	1	20	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 306654

306655

Parameter	Units	1264057001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Calcium, Dissolved	mg/L	44.9	50	50	96.7	96.8	104	104	70-130	0	20	
Magnesium, Dissolved	mg/L	60.3	50	50	112	112	103	103	70-130	0	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: NPDES-LINE 3 Wkly

Pace Project No.: 1264075

QC Batch: WETA/16305

Analysis Method: EPA 300.0

QC Batch Method: EPA 300.0

Analysis Description: 300.0 IC Anions

Associated Lab Samples: 1264075001, 1264075002

METHOD BLANK: 306241

Matrix: Water

Associated Lab Samples: 1264075001, 1264075002

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Sulfate	mg/L	ND	2.0	0.089	04/15/16 00:00	

LABORATORY CONTROL SAMPLE: 306242

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Sulfate	mg/L	50	47.4	95	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 306243 306244

Parameter	Units	1264119001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Sulfate	mg/L	24.3	250	250	261	261	95	95	90-110	0	20	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 306245 306246

Parameter	Units	1264075001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Sulfate	mg/L	688	500	500	1150	1150	93	93	90-110	0	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALIFIERS

Project: NPDES-LINE 3 Wkly

Pace Project No.: 1264075

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

LABORATORIES

PASI-V Pace Analytical Services - Virginia

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: NPDES-LINE 3 Wkly

Pace Project No.: 1264075

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
1264075001	WS-002 Scrubber Make-up	EPA 200.7	MPRP/6742	EPA 200.7	ICP/5094
1264075002	WS-003 Thickener Overflow	EPA 200.7	MPRP/6742	EPA 200.7	ICP/5094
1264075001	WS-002 Scrubber Make-up	EPA 300.0	WETA/16305		
1264075002	WS-003 Thickener Overflow	EPA 300.0	WETA/16305		


REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

IIO# 1264075
 PM MMW
 DUE DATE 04/21/16
 CLIENT USS CORP

PRINT Name of SAMPLER: Paul M. Smith	
SIGNATURE OF SAMPLER: [Signature]	
DATE Signed: 4-13-76	
TEMP In C	
Received on Ice (Y/N)	
Custody Sealed Cooler (Y/N)	
Samples Intact (Y/N)	

	Document Name:	Document Revised: 23Feb2015
	Sample Condition Upon Receipt Form	Page 1 of 1
	Document No.: F-VM-C-001-Rev.09	Issuing Authority: Pace Virginia, Minnesota Quality Control

Sample Condition Upon Receipt

Client Name:

Project #:

USS

Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☒ Client
☐ Commercial ☐ Pace ☐ Other: _____

Tracking Number: _____



Custody Seal on Cooler/Box Present? ☐ Yes ☒ No

Seals Intact? ☐ Yes ☒ No

Optional: Proj. Due Date: _____ Proj. Name: _____

Packing Material: ☐ Bubble Wrap ☐ Bubble Bags ☐ None ☒ Other: hamped

Temp Blank? ☒ Yes ☐ No

Thermometer Used: ☒ 140792808

Type of Ice: ☒ Wet ☐ Blue ☐ None

☒ Samples on ice, cooling process has begun

Cooler Temp Read °C: 3.5 Cooler Temp Corrected °C: 4.1

Biological Tissue Frozen? ☐ Yes ☐ No ☒ N/A

Temp should be above freezing to 6°C Correction Factor: +0.6

Date and Initials of Person Examining Contents: 4/13/16 w

Comments:

Chain of Custody Present?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name and Signature on COC?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.
Short Hold Time Analysis (<72 hr)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.
Rush Turn Around Time Requested?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sufficient Volume?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
-Pace Containers Used?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Containers Intact?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10.
Filtered Volume Received for Dissolved Tests?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11. Note if sediment is visible in the dissolved containers.
Sample Labels Match COC?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes Date/Time/ID/Analysis Matrix: <u>W</u>		
All containers needing acid/base preservation will be checked and documented in the pH logbook.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	See pH log for results and additional preservation documentation
Headspace in Methyl Mercury Container	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13.
Headspace in VOA Vials (>6mm)?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14.
Trip Blank Present?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	15.
Trip Blank Custody Seals Present?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased):		

CLIENT NOTIFICATION/RESOLUTION

Field Data Required? ☐ Yes ☐ No

Person Contacted: _____

Date/Time: _____

Comments/Resolution: _____

FECAL WAIVER ON FILE Y N

TEMPERATURE WAIVER ON FILE Y N

Project Manager Review: M. L. Woods

Date: 4/14/16

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers)